## **AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

## **LISTING OF CLAIMS:**

Claims 1 - 3 (Canceled)

4. (Currently Amended) An The infrared imaging apparatus of claim 3 comprising:

a dewar, having an internal volume that defines a cold space;

an IR transmissive window that seals the cold space to receive IR

energy directly from an IR source;

a first lens located within the cold space to receive IR energy directly from the IR transmissive window;

an IR detector located within the cold space in operational communication with the first lens and positioned coincident to the focal plane of at least a first and second wavelength of IR energy; and

an optical stop located within the cold space in front of the single lens, wherein the single lens has a first aspheric profile on a first side and a second aspheric profile on a second side, the first side parallel to the second side and the second side facing the detector,

wherein the second aspheric profile has a holographic optical element, and wherein the holographic optical element color corrects at least one two color band bands of infrared energy.

Attorney's Docket No. <u>017750-507</u> Application No. <u>09/988,660</u> Page 5

- 5. (Original) The infrared imaging apparatus of claim 4, wherein the holographic optical element color corrects a red MWIR band and a blue MWIR band.
- 6. (Currently Amended) The infrared imaging apparatus of claim  $4 \underline{4}$ , wherein the detector is a hyperspectral detector.
- 7. (Currently Amended) The infrared imaging apparatus of claim 4 <u>4</u>, wherein the detector detects at least three wavelengths of IR energy including at least one LWIR band of energy.
- 8. (Currently Amended) The infrared imaging apparatus of claim 4 7, wherein the LWIR band of energy is preferably an indigo LWIR band.
- 9. (Currently Amended) The infrared imaging apparatus of claim  $4 \, \underline{4}$ , wherein the holographic optical element coincidently focuses a MWIR band and a LWIR band of IR energy at a common focal plane.
- 10. (Currently Amended) The infrared imaging apparatus of claim  $4 \, \underline{4}$ , wherein the second wavelength of IR energy is a harmonic component of the first wavelength.
- 11. (Currently Amended) The infrared imaging apparatus of claim 4 4, wherein the single lens is made of germanium.

- 12. (Currently Amended) The infrared imaging apparatus of claim  $4 \underline{4}$ , wherein the single lens is made of silicon.
- 13. (Currently Amended) The infrared imaging apparatus of claim  $4 \frac{4}{3}$ , wherein the apparatus performs at an F-stop (F/#) of at least 1.4 with a square field of view of 90x90 degrees.
- 14. (Currently Amended) The infrared imaging apparatus of claim 4 <u>4</u>, wherein the detector concurrently collects radiation from multiple, adjacent spectral radiation bands.
- 15. (Currently Amended) The infrared imaging apparatus of claim 3 4, wherein the first aspheric surface has the following prescription:

radius = -0.94467; k = 28.345216; a = -2.13952; b = -69.5274; c = 2342.04; d = -56841.9; and first surface thickness = 0.548467.

16. (Original) The infrared imaging apparatus of claim 15, wherein the second aspheric surface has the following prescription:

radius = -0.61281;

```
k = 0.1399;
a = 0.033459;
b = -2.3598;
c = 10.889;
d = -36.331; and
second surface thickness = 0.462731.
```

17. (Original) The infrared imaging apparatus of claim 16, wherein the holographic optical element has the following prescription:

18. (Currently Amended) The infrared imaging apparatus of claim  $3\,\underline{4}$ , wherein the first aspheric surface has the following prescription:

```
radius = -1.23508;

k = 36.049455;

a = -1.69104;

b = -98.6413;

c = 5589.83;

d = -162359; and

first surface thickness = 0.761661.
```

19. (Original) The infrared imaging apparatus of claim 18, wherein the second aspheric surface has the following prescription:

```
radius = -0.81270;
```

```
k = -0.10748;
a = 0.054475;
b = -0.72423;
c = 2.9155;
d = -7.8939; and
second surface thickness = 0.480234.
```

20. (Original) The infrared imaging apparatus of claim 19, wherein the holographic optical element has the following prescription:

-0.017112, -0.038991, 0.55069, -1.6405.